



Ref: FAQ0406

Version: 1.0


Title – Logger location on Datagate

Made By: DD 07/07/17

(Issue 1)

## How to get your loggers to the correct map location on Datagate

On your map screen, you will see two different icons as below. The blue or yellow dots indicate the logger location (the exact location entered into DataGate via GPS coordinates). The green circles are mobile masts which indicate where loggers that do not have GPS coordinates entered have connected to a mobile network. As the masts are approximate and may be a distance from the actual logger location, it can appear as though the loggers are misplaced.



To correctly locate the loggers, input GPS coordinates via the edit site button on the logger details screen.

Site ID: [MySt007](#)

GPS: [329156,195074 \(51.6497625822358,-3.02552706608927\)](#)

Height AOD: [6](#)

Address: [My Street](#)

Address 2:

Quiet Days: [5](#)

☐ Enable Alarm Forwarding For This Site

☐ Maintenance Required

Notes: [Demonstration site](#)


Create Date: [22-Dec-2015](#)

Start Date: [22-Dec-2015](#)

End Date: [22-Dec-2020](#)

Owned By: [Test Demo Account](#)

Chamber Type -



**Ref: FAQ0406****Version: 1.0****Title – Logger location on Datagate****Made By: DD 07/07/17****(Issue 1)**

Then input the coordinates into the **Latitude/Longitude** box –

Logger SMS Number	<input type="text" value="0737024184456"/>	<input type="button" value="Lookup"/>	Date Created:	<b>22-Dec-2015</b>
Serial Number	<input type="text" value="54321"/>			
Owner Account:	<input type="text" value="Test Demo Account"/>	<input type="button" value="Get All Accounts"/>		
Address:	<input type="text" value="My Street"/>		Start Date:	<input type="text" value="22-12-2015"/>
Address 2:	<input type="text"/>		End Date:	<input type="text" value="22-12-2020"/>
Site ID:	<input type="text" value="MySt007"/>		Latitude/Longitude:	<input type="text" value="329156"/> <input type="text" value="195074"/>
Quiet Days:	<input type="text" value="5"/>		<input type="button" value="Locate..."/>	
<input type="checkbox"/> Maintenance Required			Height AOD:	<input type="text" value="6"/>

Alternately, if you press the **Locate** button on this screen, a map view can be used to drag the red balloon icon to the correct location to update the coordinates.

Finally, press **Update** to complete the changes.

#### Document History:

Edition	Date of Issue	Modification	Notes
1st	07/07/17	Release	



**Ref: FAQ0406**

**Version: 1.0**

**Title – Logger location on Datagate**

**Made By: DD 07/07/17**

**(Issue 1)**