

Ref: FAQ0195 Version: 1.0

Title-Multilog & LX remote configuration

Made By: AB 17/09/15 (Issue 2)

SMS Multilog and LX – using a desktop modem to remotely reconfigure the logger settings


This method of reprogramming a Multilog or Multilog LX is via SMS so the logger does not need to be in a power window. However because of a limitation in Radwin, a Senator + can only be remotely reprogrammed during its power window.

Start Autocall with your SMS modem set up

In Radwin View, select download options > advanced download/upload/utilities

Select Download/upload,

Select Enter New Parameters



Click OK


Then Click on Call Times
















Click On Number [01]

Enter phone number if it is not already there (can use select)



Click OK

Tick Enable Call & Select Call Time











Title-Multilog & LX remote configuration

Made By: AB 17/09/15


(Issue 2)

Version: 1.0


Click OK

For changing power windows -

Now select Power Windows



Click Upload..



Select advanced












Ref: FAQ0195 Version: 1.0 Title-Multilog & LX remote configuration

(Issue 2)

Made By: AB 17/09/15



Tick SMS parameters and

Then 'OK' and 'Upload'

Autocall will now send an SMS message to reconfigure the logger .

Document History:

| Edition | Date of Issue | Modification | Notes |
|---------|---------------|---------------|-------|
| 1st | | Release | |
| 2nd | 17/09/15 | Format update | |
| | | | |