



Ref: FAQ0134

Version: 1.0

Title – Actuator thread options & part #s

Made By: 15/09/15

(Issue 2)

Pressure Controller - Actuator thread options and part numbers

The standard size for Thread **B** is a 3/8 BSW. A customer can request different sizes -

Thread B**Thread A**Thread **A** fits to the Actuator

3/8 BSW

3/8 UNF

M8

M10 @ 1mm pitch

M10 @ 1.5mm pitch



3/8 BSW

3/8 BSW

3/8 BSW

3/8 BSW

3/8 BSW

Supplied as Standard Threaded Rod 3/8 BSW x 3/8 BSW (unless requested otherwise)

Operating rod

Half Nut 3/8 BSW

Full Nut 3/8 BSW (unless stated otherwise)

6mm air coupling

Part number COU 0335 1

Part number COU 0355 1

Part number NUT 0600 1

Part number NUT 0610 1

Part number CON 011

Threaded Bolt & Nut Options

3/8 BSW x 3/8 UNF

3/8 BSW x M8

3/8 BSW x M10 @ 1mm Pitch

3/8 BSW x M10 @ 1.5mm Pitch

M8 Full Nut

M10 Full Nut

3/8 UNF Nut

Part number COU 0330

Part number COU 0340

Part number COU 0345

Part number COU 0350

Part number NUT 2055

Part number NUT 0500

Part number NUT 0650



Ref: FAQ0134


Version: 1.0

Title – Actuator thread options & part #s

Made By: 15/09/15

(Issue 2)

Illustrations



Actuator Rod


COU0355 1

Centre nut/ Actuator bolt
(or other thread / part number)

COU 0335 1

Half nut

NUT 0600 1



Air coupling

CON 011

Document History:

Edition	Date of Issue	Modification	Notes
1st	22/05/12	Release	
2nd	15/09/15	Format update	



Ref: FAQ0134

Version: 1.0

Title – Actuator thread options & part #s

Made By: 15/09/15

(Issue 2)