

Ref: FAQ0230

Made By: AB 18/09/15

Version: 1.0

Title – Radwin Data generator issues

(Issue 2)

## Radwin Data Generator is not exporting data

Confirm that you have the Data Generator program <u>running</u> as well as Autocall. Autocall receives and processes the data, while Data Generator exports it in the selected formats. They must both be running in the background on your PC all the time. Data Generator must be configured to generate data in the 'System Configuration' 'Data Generator' page. The time of generation must be configured to either 'Immediately after

download' or at a set time of day. Also ensure the 'Generate Data From' is set to 'Archive Files'.

Configure: ▼ Basic ♥ Radwin All ♥ Manual Call ♥ View		Generator is used to export data into tems. This may be data directly from a Startup Data Generator Printing		
Autocall	Export Data Type:	Export Directory:	Email Data To:	
Data Generator     Export     Export     Alarm Programm     Alarm Receiver     Remote Autocall     Remote Alarm R	<ul> <li>ASCII Data (DOS Filename)</li> <li>ASCII Data</li> <li>Summary Data</li> <li>Summary Data &gt;= 0</li> <li>Binary Data</li> <li>Pressure Report Data</li> </ul>	c:\radwin_13\DATA\ASCII c:\radwin_13\DATA\ASCII c:\radwin_13\DATA\SUMMARY c:\radwin_13\DATA\SUMMARY c:\radwin_13\DATA\BINARY c:\radwin_13\DATA\PRESSU		
	Scheduled Data Generation Generate Location Data Im V Auto Generate Data Time Generate Data Every:	mediately After Download 06:00:00	Edit Selected Iten	n
	1 Day =	00+sample to 00:00:00	User Files	

The above configuration will generate data at 6 in the morning every day using Archive Files (Archive files are files created by Autocall when data is received).

## **Document History:**

Edition	Date of Issue	Modification	Notes
1st	02/01/13	Release	
2nd	17/09/15	Format update	