|		Ref: FAQ0273	Version: 1.0
		Title-Radwin Database- merging	
		Made By: AB 21/09/15	(Issue 2)

Radwin Database – how to copy a loggers data from one Radwin Database to another Radwin database

You would need to copy the downloaded files from one Radwin database to another.

Note that this guide is only applicable where one database has manually downloaded files, and the other is the master database (where the logger was created).

In this database, there is a Zone / Location called "_____ / _2A – Billing Aquadrome Forecourt – Orange 9364". This has one graph titled "A0001".

You must navigate to the directory where this is saved. Firstly, you must navigate to where you have Radwin database installed (typically C:\radwin\DATA).

Here you will see a folder with the Zone name in it. This will be Preceded with an 'R' and proceeded with '___'. For the above screenshot, this would be called 'R_____' (as below).

Within this folder will be more folders with the Zone and Location names in. For the above screenshot, this would be called 'R_____2A' (as below).

Within this folder are the details of the logger, with any auto or manually downloaded files.

To check the files of the second database, redirect the database directory path to the second database. In this database, there is a Zone / Location called "_____ / _2A – Billing Aqua Forecourt". This has two graphs titled "M0001" and M0002".

To merge another database into this, you must navigate to the second databases corresponding folder.

You must check that there are no conflicting filenames within the two folders. If so, these will have to be renamed.

You must cut the contents of the second folder and paste it into the first folder (the first folder must contain the Autocorrect List File, .MMO file and 01D files – as circled below).

Re-open Radcom View, and you will now see the new graphs (M0001 and M0002) within your Radwin database.

Document History:

Edition	Date of Issue	Modification	Notes
1st	03/01/13	Release	
2nd	21/09/15	Format update	

4