



Ref: FAQ0275

Version: 1.0


Title-Radwin database merging

Made By: AB 21/09/15


(Issue 2)

## Radwin Database merge from a Laptop PC to a Desktop PC (for example)


First find the Radwin Data folder on your Laptop PC – the data folder is the one located just below your Radwin Software – use your PC's Explore facility to locate this and copy it complete to a known position on your desktop PC – see below screen shot



Now on your desktop PC open Radwin Data Export (also know as Radwin Import/Export). Then click Options → Import Merge Database.



The Import Merge Configuration popup box will appear. Click the New Configuration radio button, and then click the OK button.





Ref: FAQ0275


Version: 1.0

## Title-Radwin database merging


Made By: AB 21/09/15

(Issue 2)

Select the type of Database which you want to copy into your existing Database (in the below example I am using a Radlog for windows Database). Then click the Next button.



You should see your existing (desktop computer) database specified within the 'Into Current Database' field. To import your laptop database Click the Browse button - You'll now need to navigate to the correct folder where you located your laptop PC Radwin Database



This will open a navigation menu.



Ref: FAQ0275

Version: 1.0

Title-Radwin database merging

Made By: AB 21/09/15

(Issue 2)

Choose the correct option for what you want to import from the following radio buttons:

- Merge All Zones and Locations
- Select an Entire Zone to Merge
- Select a Single Location to Merge

Import Merge Radwin Database - Page 2 of 4

Select the folder of the Radwin database to Import from. This will be the PDA's database path. MS Active Sync should be configured to synchronise files, and the database path on the PDA should have been

Import Database: C:\radwin\Customer Data\100723 - Teksal Browse...

Into Current Database: C:\radwin\Customer Data\100930 - Accurate Detection

Database Merge Options ( Items that do not exist in the target database will be copied )

Zone: All Zones

Location: All Locations

☒ Merge All Zones and Locations

☐ Select an Entire Zone to Merge

☐ Select a Single Location to Merge

☐ Copy the Database Configuration for Locations that already exist

Save Import Configuration... << Previous Next >> Cancel

Choose the correct option for what you wish to copy to your existing database.

- Manual Files are those which has been manually downloaded from a logger.
- Imported files are those which have been imported from another database.
- User files are those which have been modified by the user (e.g. changing the options in Radcom View)

If you wish to overwrite any data within your current database with manually downloaded data, then select the 'Merge Manual Files into Archive Files' checkbox. Click the Next button.

Import Merge Radwin Database - Page 3 of 4

Select the data file types to import into the current database.

Import Data From: C:\radwin\Customer Data\100723 - Teksal

Zone: All Zones

Location: All Locations

Manual Files

☒ Copy Manual Files ☐ Copy Imported Files ☐ Copy User Files

☒ Merge Manual Files into Archive Files ( overwrites data in archive file with data from matching manual file )

☒ Include All Files ☐ Only Include Files Containing Data Up To 7 Days Ago

Save Import Configuration... << Previous Next >> Cancel



Ref: FAQ0275


Version: 1.0

## Title-Radwin database merging


Made By: AB 21/09/15

(Issue 2)


The next screen to appear will be a summary screen where you can check all of the settings which you have just entered. Review your options, and if correct, click Finish to merge the databases.



The database will now be merged. If you open Radwin View, and then click File → Open.



Your database will now open with the imported files.



### Document History:

Edition	Date of Issue	Modification	Notes
1st	03/01/13	Release	
2nd	21/09/15	Format update	