



Ref: FAQ0334	Version: 1.0
Title-Smartpatrol-import data to Radwin	
Made By: AB 23/09/15	(Issue 2)


Radwin Database – how to import Smartpatrol data or other SLI files into the Radwin Database for viewing

NOTE: Rapid Meter Field in Smartpatrol must have a 7 digit alpha numeric characters entered into the database. If there is more than 7 digits Smartpatrol will use the 7 right hand characters only. If there are less than 7 digits then the 0 will be added to the left to ensure 7 characters

Open Radcom Setup - Start > All Programs > Radlog for Windows > Radcom Setup > Options -




Select the 'Export Auto Import' tab - use arrow buttons to move to the right tabs






Ref: FAQ0334	Version: 1.0
Title-Smartpatrol-import data to Radwin	
Made By: AB 23/09/15	(Issue 2)


Select one of the Import Data type rows (double click on the SLI Data)



Tick 'Enable Import' and enter import directory – that is the directory Smartlog is selected to import to, and then click OK



Tick 'Enable Automatic Data Import'; 'Automatically Delete Imported Files'; Select desired import frequency, and time, and Click 'OK' to return to 'Set Up'





Ref: FAQ0334

Version: 1.0

Title-Smartpatrol-import data to Radwin


Made By: AB 23/09/15

(Issue 2)

From the 'Set up' screen select 'Start' -




From 'Start' Menu dropdown select 'Radcom Database Export'





Ref: FAQ0334	Version: 1.0
Title-Smartpatrol-import data to Radwin	
Made By: AB 23/09/15	(Issue 2)

At Radcom Import / Export screen -



Export Smart log data as required and leave Radcom Import / Export Running in the background
Data can be viewed by selecting Start > Radcom View



Document History:

Edition	Date of Issue	Modification	Notes
1st	26/09/13	Release	
2nd	23/09/15	Format update	



Ref: FAQ0334	Version: 1.0
Title-Smartpatrol-import data to Radwin	
Made By: AB 23/09/15	(Issue 2)